

Report No. RT11R-S0053-003-E

TEST REPORT

| Applicant | : UTIS |
|-----------|----------------------------------|
| Address | : 652-10, Choji-dong, Danwon-ku, |
| | Ansan-city, Gyeonggi-do, Korea |

Page: 1 of 5 Date: Jan. 11, 2011

| Sample Description | : The following submitted sample(| s) said to be:- |
|--|--|------------------------------|
| Name/Type of Product Sample ID No. Item No. | : eSORBA SSP : RT11R-S0053-003 : SS B-SD, SS F-SD, SS L-SD, SS M-3 | SD |
| Manufacturer/Vender | : UTIS | |
| Sample received Testing Date Testing Environment | : Jan. 06, 2011 : Jan. 06, 2011 ~ Jan. 11, 2011 : Temperature : (24 ± 2) ℃, | Humidity : (60 ± 5) % R.H. |
| Test Type Test Method(s) Test Result(s) | : RoHS wet chemical analysis : Please see the following page(s). : Please see the following page(s). | |

* Note 1 : The test results presented in this report relate only to the object tested.

* Note 2 : This report shall not be reproduced except in full without the written approval of the testing laboratory.

* Note 3 : The item no. is assigned by client and indicated according to their requirement and guarantee letter.

Approved by,

2628

Jade Jang / Lab. Technical Manager

Authorized by,

ne

Bo Park / Lab. General Manager

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : <u>www.Intertek.co.kr</u> Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea



Report No. RT11R-S0053-003-E

Page: 2 of 5 Date: Jan. 11, 2011

Sample ID No. : RT11R-S0053-003 Sample Description : eSORBA SSP

| Test Item | Unit | Test Method | MDL | Result |
|--|-------|--|-----|--------|
| Cadmium (Cd) | mg/kg | With reference to | 0.5 | N.D. |
| Lead (Pb) | mg/kg | IEC 62321 Edition 1.0 : 2008, by acid digestion and determined by ICP-OES | 5 | N.D. |
| Mercury (Hg) | mg/kg | | 2 | N.D. |
| Hexavalent Chromium (Cr ⁶⁺) (For non-metal) | mg/kg | With reference to IEC 62321 Edition 1.0 : 2008, by alkaline digestion and determined by UV-VIS Spectrophotometer | 1 | N.D. |
| Polybrominated Biphenyl (PBBs) | | | | |
| Monobromobiphenyl | mg/kg | | 5 | N.D. |
| Dibromobiphenyl | mg/kg | | 5 | N.D. |
| Tribromobiphenyl | mg/kg | With reference to | 5 | N.D. |
| Tetrabromobiphenyl | mg/kg | | 5 | N.D. |
| Pentabromobiphenyl | mg/kg | IEC 62321 Edition 1.0 : 2008, | 5 | N.D. |
| Hexabromobiphenyl | mg/kg | by solvent extraction and | 5 | N.D. |
| Heptabromobiphenyl | mg/kg | determined by GC/MS | 5 | N.D. |
| Octabromobiphenyl | mg/kg | | 5 | N.D. |
| Nonabromobiphenyl | mg/kg | | 5 | N.D. |
| Decabromobiphenyl | mg/kg | | 5 | N.D. |
| Polybrominated Diphenyl Ether (P | BDEs) | | | |
| Monobromodiphenyl ether | mg/kg | | 5 | N.D. |
| Dibromodiphenyl ether | mg/kg | With reference to IEC 62321 Edition 1.0 : 2008, by solvent extraction and determined by GC/MS | 5 | N.D. |
| Tribromodiphenyl ether | mg/kg | | 5 | N.D. |
| Tetrabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Pentabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Hexabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Heptabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Octabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Nonabromodiphenyl ether | mg/kg | | 5 | N.D. |
| Decabromodiphenyl ether | mg/kg | | 5 | N.D. |

Tested by : Nikkie Lee, Leo Kim, Ellen Jung, Jessica Kang

Notes : mg/kg = ppm = parts per million < = Less than N.D. = Not detected (<MDL) MDL = Method detection limit

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : <u>www.Intertek.co.kr</u> Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea



Report No. RT11R-S0053-003-E

Page: 3 of 5 Date: Jan. 11, 2011


Sample ID No. : RT11R-S0053-003 Sample Description : eSORBA SSP

| Test Item | Unit | Test Method | MDL | Result |
|---------------|-------|---|-----|--------|
| Bromine (Br) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |
| Chlorine (Cl) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |
| Fluorine (F) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |
| lodine (I) | mg/kg | With reference to EN 14582, by oxygen combustion with bomb and determined by IC | 30 | N.D. |

Tested by : Nikkie Lee

Notes : mg/kg = ppm = parts per million < = Less than N.D. = Not detected (<MDL) MDL = Method detection limit

* View of sample as received;-



This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.


Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.Intertek.co.kr Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea



Report No. RT11R-S0053-003-E

Page: 4 of 5 Date: Jan. 11, 2011

Sample ID No.: RT11R-S0053-003Sample Description: eSORBA SSP



Remarks :

*1 : List of appropriate acid :

| Material | Acid added for digestion |
|-------------|--|
| Polymers | HNO ₃ , HCI, HF, H ₂ O ₂ , H ₃ BO ₃ |
| Metals | HNO3, HCI, HF |
| Electronics | HNO ₃ , HCI, H ₂ O ₂ , HBF ₄ |

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.


Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : <u>www.Intertek.co.kr</u> Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea



Report No. RT11R-S0053-003-E

Sample ID No. : RT11R-S0053-003 Sample Description : eSORBA SSP



This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : <u>www.Intertek.co.kr</u> Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea

Page: 5 of 5 Date: Jan. 11, 2011